Roller Garage Doors For Your Home

2019/20





Deluxe 77

Our Deluxe 77 roller garage doors are perfect for larger garages, but can be just as easily installed on smaller openings to provide functionality and efficiency while keeping the costs affordable.

This range of doors have a maximum opening width of 16ft, and are well suited for single, large or double-sized garages. All our remote controlled Deluxe 77 roller doors come with two remotes as standard with two occupants in mind, meaning that neither user has to go without the added convenience and ease of use that remote access offers.

ò (12 inch) square roll housing and 95mm (4 inch) guide runners the Deluxe 77 is designed to be as compact as possible to take

Our Deluxe 77 roller garage doors are available in a range of functions to ensure ease of use and an attractive aesthetic.

Deluxe 77 Product Range

Specification

General

Ó	· 0 ·	
Guide	Runner Width:	95mm (4 inches)
Æ		
Æ	. 8 .	

Standard 77-RC Single

Max. curtain surface area: Max. opening width up to: Max. opening height up to: 15 square meters 2745mm (9ft) 2285mm (7ft 5")

Standard 77-RC Large

Max. curtain surface area: 15 square meters " Max. opening height up to: 2285mm (7ft 5")

Standard 77-RC Double

Max. curtain surface area: Max. opening width up to: Max. opening height up to: 2285mm (7ft 5")


15 square meters 4880mm (16ft)



Description

The Deluxe 77 remote control roller garage door is available in a choice of 14 painted curtain

runners which allows it to cover clear openings of up to 16ft (4875mm) wide.



Compact 55

Our Compact 55 roller garage doors are ideally suited to single sized openings garages. This garage door is slimline, with the box and guide runner taking up very little space within the garage. The maximum total width of an Compact 55 door is up to 8ft, including the frame, so really is built with scale in mind. This space saving model can be measured and fitted by our own team of experts.

control handsets as standard, with additional handsets available if needed. We use robust and durable aluminium to manufacture our doors, which are available in a range of colours.

Compact 55 Product Range

Specification

General

Ó . O .	
Guide Runner Width:	65mm (2 1/2 inches)
Æ	
Æ [°] 8 [°]	

Compact 55-RC Compact

Max. curtain surface area:	7 square meters
Max. opening height up to:	2285mm (7ft 5")



Description

0 1
 enclosed 205mm square top box it has 65mm wide guide runners making it ideal for garages with limited room or on a budget.



Colour Options

We understand that alongside excellent quality, style and aesthetic appeal is a very important feature for any roller garage door.

matched service available.







Green



Anthracite



Chartwell Green



Cream



White



Red

Blue



Brown



Black





Beige



*Painted Irish Oak



Painted Golden Oak



*Irish Oak Laminate

*Golden Oak Laminate

Painted Rosewood

*Rosewood Laminate

Free Colour Samples

These are photographic representations of our colours and although we have matched them as close as possible there is nothing like the real thing so we offer free colour samples that can be delivered to you, if you are interested in a sample then please let us know what colour and we will get this arranged for you.

*Please be aware that all colours can vary slightly due to batch variations.





Ó

What Makes A Roller Door

Learn a little bit more about what goes into a roller door.

Slats

Made from double-skinned aluminium, our roller door

RD55 slat sizes: 55mm high, 8.2mm thick

RD77 slat sizes: 77mm high, 18mm thick



Benefits Of Double-Skinned Aluminium Slats

- Improved insulation
- Æ
- Effective deterrent for break-ins
- Reduces sound pollution
- Quiet, smooth function
- Protection against volatile weather
- ``e```Úñ`

All parts of a roller garage door are made from powder-coated or painted aluminium with rubber seals on the base rail for extra protection.

Roll Housing

the longer lasting life of the internal mechanism. The enclosed roll housing is constructed out of strong and durable aluminium and can help protect

Our roll housing and guide runners come as standard in white, but we

Benefits Of A Roll Housing:

- Provides a fascia for the door
 Provides the curtain with weather protection all round
- Protects the components of the door from dust or debris that can jam mechanisms
- 1
 1
 1
 - Reduces operating noise
 - e

Compact 55 Guide Runner

powder coated aluminium and has a double brush feature. This guide runner has the measurements of 65mm width and 27mm depth.

Deluxe 77 Guide Runner

The guide runner for Deuxe 77 roller garage doors is powder coated extruded aluminium with a double brush design and is

Compact 55 Base Rail

Ó 1 1 powder coated to match the curtain colour. The slat is hollow, 49mm

high and 8.2mm thick; there is a small rubber insert at the bottom to cushion the door, with the rubber seal being 6mm wide and 6mm high.

Deluxe 77 Base Rail

The Deluxe 77 roller garage door has a base rail of powder coated The slat is hollow, 78mm high and 18mm thick with a rubber seal

15mm in width and 15mm high.



Optional Extras

We have a range of optional extras that you can use with our roller doors to make your garage door even more practical and easy to operate. All of our additional components can be added to your order and installed by our team onsite to ensure they meet up with our exacting standards, giving you a full demonstration on their functionality while they are there.

External Manual Override

Although our doors come with internal manual override as standard we offer a

be installed into most garages to allow the door to be operated from both inside in the event of a power failure, preventing

Control Systems

We stock a high quality remote control system for use with all of our ranges of roller doors, as standard our doors come with hold to run closing operation, running 230V tube motors and supplied with two transmitter handsets.

 ò
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·
 ·

activates when the door is in operation.





1 [.] 0 [.]



Wireless Features

We stock a compatible range of wireless options which can be added to a garage such as wireless push buttons, wireless automation kits.

Hardwired Extras

We have a range of hardwired extras doors and can be installed on the inside or the door without the use of a handset. We have two switches in stock; a rocker





Æ `ò `» `O



Æ



· 1 · · 0 · 1 · 0 ·

V



Tradedor

t ò 0 @ · · · t t t · · † 3⁄4 · t 8

sales@tradedor.co.uk

www.tradedor.co.uk

